

[illegible]

102 m long
52.5 m wide

Buffer = B15Y01

25Phyto_2200/2400
25Phyto_2600
25Phyto_2800
25Phyto_3100/3400

planted: June 1st

102 m long
52.5 m wide

[illegible]

OSACC PHYTOPHTHORA 2026 MG00E & MG00

Entry	Name	Rep 1	Rep 2	Rep 3	Rep 4
1	24SS07	33	87	169	279
2	ABACA	29	116	192	310
3	Arietta	3	83	216	270
4	Atiron	69	109	211	308
5	B0073EE	23	106	167	307
6	Bellistar	11	92	234	274
7	Bourke R2X	60	129	172	306
8	BRILIO	12	125	185	253
9	Bronco R2X	32	153	229	313
10	CDC Cedar	30	156	207	294
11	CM258-016	9	126	223	265
12	Cullen XF	26	121	203	240
13	DKB0007-77	64	101	176	304
14	DKB003-13XF	47	149	168	283
15	DKB004-04	67	118	165	309
16	DKB006-80	25	135	209	261
17	DKB009-96	22	96	174	300
18	DKB03-25	6	155	171	266
19	Ehlers R2X	55	143	205	281
20	Elmo E3	75	94	228	282
21	Enduro E3	14	119	187	260
22	EXP 0036 XFN	77	127	178	252
23	EXP002-26	53	82	170	275
24	Hana	2	150	221	238
25	Hart R2X	78	141	237	258
26	Jador	63	122	198	255
27	Joly XF	20	91	212	239
28	Koa	51	142	236	298
29	Liska	8	80	177	291
30	Luxor	49	84	191	284
31	Melo XF	19	104	164	311
32	Merino R2X	74	103	230	263
33	NA0200	39	93	224	245
34	Norco R2X	50	124	160	267
35	P003Z08E	59	88	219	293
36	P004Z87E	48	98	182	292
37	P007Z82E	15	123	227	247
38	Paisley	41	117	208	249
39	PR193657-02-11	28	158	215	299
40	PR200302C-19	17	90	220	287

Entry	Name	Rep 1	Rep 2	Rep 3	Rep 4
41	PR201191X-07	10	144	214	303
42	PR25X2450	44	132	199	268
43	PR26E2650	57	89	196	271
44	PR26IP2400	5	114	173	312
45	PR26X2425	31	137	179	257
46	PR26XF2500	71	151	222	296
47	PR26XF2575	58	157	183	314
48	PRO Helicon	37	100	204	251
49	PRO Volcano	16	99	210	276
50	Prostar	70	113	184	246
51	PS 0011 XRN	27	85	180	288
52	PS 00525 XRN	66	130	217	277
53	PS 0098 XR	40	147	235	316
54	Rico R2X	56	140	206	262
55	Roxton	21	146	181	301
56	Ryno R2X	43	134	189	285
57	S0009-J5X	76	128	225	248
58	S003-R5X	68	138	161	289
59	S005-F4E3	38	110	231	264
60	S007-A2XS	65	115	202	244
61	S007-Z1X	7	136	233	297
62	S02-D5E3	13	105	201	290
63	S02-M4XF	54	133	226	286
64	S03-V5E3	1	139	193	305
65	S04-J6X	45	102	162	272
66	S04-Q9XF	42	154	232	241
67	SC26-2375XF	61	112	195	273
68	SFL EXP26-02E3	35	120	166	259
69	SI 00924XFN	62	148	163	315
70	Stine 04EJ02	34	86	188	243
71	Stine 05EG62	52	152	213	254
72	Tango R2X	18	131	218	242
73	Wheeler R2X	46	95	190	295
74	Young R2X	79	107	200	250
75	Conrad (High Field Tolerance)	24	145	197	256
76	Haro(1-7)1 (Very Low Field Tolerance)	36	97	186	302
77	OX20-8 (No Field Tolerance)	4	111	175	269
78	Sloan (Low Field Tolerance)	73	108	194	278
79	Williams (Moderate Field Tolerance)	72	81	159	280

OSACC PHYTOPHTHORA 2026 MGO

Entry	Name	Rep 1	Rep 2	Rep 3	Rep 4
1	Acora	432	574	775	824
2	S07-M8	400	514	694	796
3	OAC Strive	404	611	629	900
4	Havane	409	575	687	870
5	Marula	438	597	758	790
6	S10-R2	384	596	645	895
7	AAC Shinju	470	601	636	838
8	Dundee	378	566	693	877
9	OAC Kamran	367	523	665	816
10	Atena	437	520	723	889
11	Matilda	406	598	734	905
12	Finch	372	564	701	814
13	Odessa	322	588	764	847
14	AAC Kovik	350	519	737	839
15	S04-K9	347	530	628	850
16	Aurelina	343	472	695	848
17	Navan	408	541	688	933
18	Atacama	375	494	663	801
19	NA0800	370	583	762	840
20	Hola	423	499	642	903
21	Aya	411	576	738	899
22	Verdo	454	626	757	806
23	Atanga	455	560	648	878
24	OT22-16	469	511	777	890
25	OT22-17	320	619	674	927
26	Wilma	324	594	699	782
27	Algebra	405	589	680	919
28	OT23-11	369	545	755	932
29	OT23-12	390	586	675	783
30	CM238-014	333	525	776	922
31	OT24-02	463	521	736	800
32	OT24-10	464	484	696	831
33	OT24-11	334	617	672	830
34	OT24-12	453	536	781	827
35	Benino	348	480	726	896
36	S06-G9	445	590	671	867
37	SFL 06-44 IP	396	524	703	812
38	OAC 23-13C-SCN	452	599	652	876
39	CM248-017	428	512	673	811
40	SeCan 23-04C-SCN	382	544	704	916
41	SeCan 23-12C-SCN	397	479	774	912
42	Azolia	394	554	750	817
43	Allumia	354	488	766	858
44	CLS21-0160,024	448	582	717	785
45	NA0700	467	550	748	836
46	OAC 24-27 C-Nat	355	606	641	842
47	OAC 24-34C-Nat	383	565	733	819
48	SeCan 24-54C-SCN	371	491	640	820
49	SeCan 24-26C-SCN	458	529	666	805
50	OT25-06	340	508	643	886
51	OT25-07	420	607	668	843
52	OT25-10	466	562	760	866
53	PR26IP2750	461	532	700	787
54	SFL 13-65IP	393	602	659	893
55	SFL 12-25IP	365	531	632	853
56	RC 0622	427	555	650	884
57	RC 0222	327	492	667	930
58	SeCan 25-04C SCN	439	506	746	865
59	SeCan 25-15C SCN	358	621	752	911
60	SeCan 25-08C SCN	342	618	778	904
61	OAC 23-23 C TIN	318	568	743	832
62	SZDV5382	430	473	678	833
63	CLS21-0162,121	360	533	756	825
64	CLS21-0685,198	376	486	742	793
65	CM268-001	403	625	660	841
66	CM268-002	462	522	637	822
67	CM268-003	374	535	634	882
68	PR200723C-01	328	605	767	906
69	PR200723C-11	345	552	656	860
70	PR200351C-05	471	496	664	924
71	SV200806C-05	433	600	771	834
72	SV200397C-12	398	551	692	798
73	OT26-01	465	561	635	808
74	OT26-02	429	540	658	936
75	OT26-03	418	528	744	881
76	OT26-04	319	475	759	849
77	OT26-05	325	502	684	846
78	OT26-06	368	570	715	914

Entry	Name	Rep 1	Rep 2	Rep 3	Rep 4
79	OT26-07	381	505	669	807
80	OT26-08	392	487	731	864
81	OT26-09	346	563	722	794
82	SVX-4031	353	615	725	897
83	SVX-4032	421	534	702	907
84	OT26-10	419	573	780	823
85	OT26-11	446	571	631	891
86	OT26-12	387	483	770	898
87	SVX27T1S11	417	567	690	873
88	SV200664C-08	416	510	772	887
89	HG 25-01C	351	616	633	791
90	HG25-02C	441	610	685	863
91	HG25-13C	410	624	719	851
92	OAC 25-19C-SCN	457	572	711	795
93	PS 0779 XRN	435	622	730	845
94	Beliveau R2X	335	580	745	885
95	DKB11-84	391	516	676	888
96	Enyo E3	407	553	649	857
97	Nano R2X	388	537	732	810
98	S12-M5X	385	549	721	829
99	SI 0620XTN	362	579	739	929
100	Pico R2X	395	593	740	844
101	Harvey E3	415	585	763	828
102	Orr R2X	338	490	639	792
103	Ramage XF	359	547	661	788
104	Axis E3	339	498	689	818
105	PS 0944 XRN	413	620	686	821
106	DKB08-80	431	474	768	854
107	PS 0521 XRN	356	581	706	920
108	P04A98E	425	578	627	883
109	P06A38E	424	504	698	931
110	B036CE	456	497	683	856
111	B074HE	361	584	718	861
112	Dyno R2X	329	603	724	799
113	S06-A3XF	440	495	729	835
114	S11-A4E3	468	542	670	910
115	S11-U2XF	380	476	709	879
116	B103EE	434	481	697	826
117	Stine 10EG20	414	501	646	804
118	Stine 12EB32	386	614	713	925
119	Ridley XF	447	577	751	928
120	B054EE	449	538	712	852
121	P05260E	332	503	716	892
122	P06Z90E	401	569	638	802
123	P09Z79E	460	587	728	915
124	P11Z72E	344	526	773	803
125	DKB11-11XF	450	604	662	917
126	Myers E3	442	609	657	902
127	DKB09-90XF	422	558	727	859
128	Stine 10EH02	336	515	677	875
129	PS0225XRN	341	527	747	797
130	EXP 0825 EN	352	559	753	789
131	S06-A1E3	402	557	681	934
132	S07-T8XF	389	517	741	862
133	S08-Z4E3	412	591	749	909
134	S10-H1XF	426	595	651	918
135	SI 0225E3	357	613	765	868
136	SI 0525XTN	436	546	735	871
137	SI 0825E3N	349	548	644	813
138	11EK39	377	500	761	786
139	S08-R3XF	326	493	682	809
140	SFL 08-33E3	366	513	647	880
141	SC26-2700XF	399	539	653	815
142	B095EE	317	507	714	923
143	P00Z65E	363	608	655	855
144	Vector E3	373	478	754	872
145	EXP 0326 EN	331	623	769	837
146	PR26E2725	379	485	705	935
147	PR26XF2800	337	556	720	913
148	PR192226X-20	443	509	708	921
149	PR26X2700	451	543	691	926
150	SVX1026XFN	321	518	779	869
151	Conrad (High Field Tolerance)	330	612	710	784
152	Haro(1-7)1 (Very Low Field Tolerance)	459	477	654	874
153	OX20-8 (No Field Tolerance)	444	592	707	894
154	Sloan (Low Field Tolerance)	364	489	630	908
155	Williams (Moderate Field Tolerance)	323	482	679	901
156	OT20-13	1557	1558	1559	1560

OSACC PHYTOPHTHORA 2026 MG1

Entry	Name	Rep 1	Rep 2	Rep 3	Rep 4
1	HDC Blake	1018	1059	1182	1248
2	S14-H3	999	1029	1181	1206
3	OAC Aberdeen	1012	1089	1114	1226
4	OAC Union	981	1092	1130	1197
5	S12-J7	1007	1101	1136	1247
6	Rowan	950	1084	1126	1239
7	Baltazar	973	1067	1174	1256
8	Forto	976	1087	1137	1201
9	Taku	987	1069	1157	1240
10	Zeta	989	1093	1158	1238
11	Inwood	953	1094	1106	1200
12	Alinova	975	1045	1103	1207
13	OAC Equilibrium	957	1026	1112	1214
14	Shedden	948	1057	1104	1216
15	S16-B8	958	1095	1146	1241
16	SeCan 23-53C-SCN	942	1096	1179	1266
17	SC 3523	954	1053	1116	1220
18	CLS21-0622,021	980	1061	1149	1254
19	NA1500	997	1081	1122	1194
20	Northstar	962	1068	1163	1229
21	OAC 24-29C-SCN	974	1074	1168	1224
22	SeCan 24-56C-SCN	947	1097	1161	1222
23	21CK194	943	1048	1148	1262
24	21CK121	967	1036	1164	1186
25	22CK191	992	1044	1166	1244
26	SeCan 25-44C-SCN	1003	1038	1127	1235
27	SeCan 25-39-SCN	988	1060	1128	1189
28	SC 3325	949	1042	1107	1225
29	SC 3425	990	1023	1124	1259
30	SC 2525	994	1065	1135	1215
31	SC 2925	1013	1047	1119	1205
32	OAC 23-52 C TIN	937	1091	1133	1199
33	PR25IP2800	1017	1072	1150	1246
34	SVX27T1S12	979	1027	1115	1257
35	SVX27T1S14	956	1028	1173	1187
36	SVX-4039	952	1040	1156	1192
37	HC7424	1014	1070	1138	1242
38	HC7024	978	1076	1144	1228
39	OAC 25-40C-SCN	966	1030	1162	1210
40	DKB14-65	946	1079	1152	1213
41	SI 1820XTN	1010	1078	1140	1251
42	Keith XF	945	1056	1160	1223

Entry	Name	Rep 1	Rep 2	Rep 3	Rep 4
43	Compass E3	1008	1051	1131	1265
44	PS 1022 EN	959	1031	1142	1196
45	B182ME	965	1054	1113	1255
46	SI 1222E3N	951	1082	1180	1190
47	SI 1422XTN	986	1037	1184	1258
48	Rask E3	983	1073	1139	1191
49	Mercado XF	985	1085	1120	1195
50	S13-Y4XF	1016	1034	1167	1193
51	B173EE	955	1066	1145	1211
52	Kraft E3	1019	1021	1108	1218
53	B144EE	960	1050	1117	1219
54	PS 1344 XFN	996	1064	1121	1237
55	PS 1224 EN	939	1071	1118	1188
56	Stine 14EE21	963	1052	1185	1230
57	P13Z28E	969	1080	1171	1234
58	P17Z39E	1004	1086	1151	1227
59	P18Z01E	993	1075	1177	1209
60	PR24E2850	1015	1088	1154	1208
61	S15-G9E3S	964	1055	1123	1221
62	DKB17-21XF	984	1033	1109	1250
63	Bedrock E3	982	1043	1155	1232
64	Canyon E3	977	1039	1153	1245
65	STine 13EH62	1000	1025	1178	1212
66	Lindros E3	991	1098	1175	1203
67	PS 1777 EN	998	1022	1125	1268
68	S14-V3XF	941	1032	1169	1267
69	SFL 14-29E3	1001	1035	1165	1252
70	S15-T6E3	968	1058	1134	1243
71	SFL EXP26-18E3	972	1062	1141	1204
72	SC26-2825E3	938	1083	1132	1236
73	SC26-2850XF	1011	1099	1111	1233
74	B135EE	1002	1041	1172	1260
75	B185EE	995	1102	1170	1264
76	EXP18-26XF	971	1046	1183	1231
77	EXP 1926 EN	1009	1063	1105	1202
78	SVX1826E3N	961	1024	1129	1263
79	Conrad (High Field Tolerance)	944	1100	1159	1198
80	Haro(1-7)1 (Very Low Field Tolerance)	940	1020	1143	1253
81	OX20-8 (No Field Tolerance)	1006	1077	1176	1217
82	Sloan (Low Field Tolerance)	1005	1049	1147	1261
83	Williams (Moderate Field Tolerance)	970	1090	1110	1249

OSACC PHYTOPHTHORA 2026 MG2E & MG2L

Entry	Name	Rep 1	Rep 2	Rep 3	Rep 4
1	19EK02	1319	1372	1446	1507
2	21CK0812	1287	1359	1424	1506
3	22EK02	1329	1400	1448	1518
4	24EK21	1312	1364	1472	1544
5	AAC 26-15	1317	1371	1413	1491
6	AAC Big Ben	1336	1380	1483	1547
7	AAC McRae	1321	1409	1415	1512
8	B214EE	1314	1390	1478	1546
9	B243EE	1300	1363	1462	1525
10	B283EE	1291	1402	1447	1521
11	B289TE	1324	1393	1460	1504
12	Candor	1282	1396	1464	1523
13	DKB19-80	1277	1367	1451	1545
14	DKB26-43XF	1340	1362	1456	1509
15	DKB26-86XF	1327	1391	1459	1532
16	DKB27-54XF	1271	1357	1427	1531
17	DKB29-87XF	1297	1382	1434	1548
18	Equator E3	1316	1344	1474	1500
19	EXP 2226 XFN	1315	1352	1450	1551
20	EXP31-26XF	1290	1385	1470	1510
21	EXP32-26XF	1275	1369	1465	1515
22	Express R2X	1295	1376	1417	1522
23	Haley XF	1326	1408	1440	1538
24	HC4825	1306	1370	1473	1528
25	NA2000	1283	1381	1414	1527
26	NA2200	1280	1387	1438	1490
27	NA2700	1304	1343	1422	1553
28	OAC Achieve	1339	1383	1466	1496
29	OAC Bruton	1313	1347	1433	1536
30	OAC Marvel	1320	1410	1457	1533
31	OAC Stedfast	1333	1366	1454	1539
32	OAC Valor	1310	1346	1484	1517
33	P21Z88E	1278	1404	1442	1516
34	P23Z58E	1318	1348	1452	1556
35	P25A16E	1328	1398	1419	1543
36	P28Z30E	1311	1406	1476	1505

Entry	Name	Rep 1	Rep 2	Rep 3	Rep 4
37	P28Z89E	1309	1356	1481	1535
38	P31Z32E	1305	1349	1443	1513
39	P32Z91E	1288	1403	1463	1526
40	PS 2120 EN	1330	1351	1467	1486
41	PS 2322 XFN	1294	1365	1426	1542
42	PS 2325 EN	1331	1377	1430	1498
43	PS 2521 XFN	1281	1360	1469	1499
44	PS 2923EN	1286	1373	1455	1549
45	Roenick XF	1298	1384	1482	1487
46	S18-F1E3S	1285	1412	1458	1503
47	S18-J4XF	1302	1405	1479	1534
48	S20-J9E3S	1279	1350	1439	1485
49	S20-W9	1334	1397	1428	1524
50	S22-A2E3	1299	1401	1425	1493
51	S22-D6XF	1332	1394	1435	1495
52	S23-P1E3	1337	1411	1429	1540
53	S24-U5XF	1274	1374	1471	1530
54	S26-Z1XF	1272	1388	1420	1501
55	S27-K4E3S	1289	1353	1441	1554
56	S28-G7E3S	1308	1395	1453	1537
57	S29-Q3XF	1301	1375	1437	1497
58	SC 7022	1269	1386	1432	1550
59	SC 7422	1307	1354	1421	1555
60	SC26-3250XF	1335	1342	1444	1552
61	SFL EXP26-22E3	1303	1392	1475	1519
62	SG 2311	1270	1341	1480	1529
63	Siena	1293	1389	1416	1492
64	Sittler E3	1296	1368	1431	1502
65	Stine 20EG02	1322	1407	1477	1494
66	SVX25T2S97	1284	1358	1445	1488
67	SVX-4040	1292	1379	1461	1514
68	Conrad (High Field Tolerance)	1325	1345	1436	1489
69	Haro(1-7)1 (Very Low Field Tolerance)	1273	1378	1449	1541
70	OX20-8 (No Field Tolerance)	1338	1361	1423	1511
71	Sloan (Low Field Tolerance)	1276	1399	1418	1508
72	Williams (Moderate Field Tolerance)	1323	1355	1468	1520